


STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS

APPENDIX A

SPECIFICATIONS AND PRICING
INFORMATION
FOR
PASSENGER VEHICLES & TRUCKS
2008 MODEL YEAR



RED HOLMAN (MiDEAL)

Contract# 071B8200126

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

INDEX TO

SPECIFICATIONS FOR
2008 PASSENGER VEHICLES & TRUCKS

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>	<u>PAGE NO</u>
Passenger Vehicle Equipment	Preface	A
Truck Equipment	Preface	B-B1
Pre-Delivery Service	Preface	C-C1
Receiving Procedure	Preface	D

All vehicles must be new and of the manufacturer's current models in production at the time of delivery. All standard or optional equipment to be included shall be as advertised by the manufacturer (OEM) and factory installed and shall not consist of substitute or after market equipment. Special Edition Pricing Packages which may limit available options are not acceptable. Optional equipment not available from the factory may be dealer installed.

The dealer's vehicle order confirmation sheet listing all the standard options provided with the vehicle in accordance with the State of Michigan Specification shall be provided at each of these steps in the process:

- ☒ With dealers bid submittal to the State of Michigan
- ☒ With original quote from the dealer to the customer
- ☒ Upon delivery of the vehicle from the dealer to the customer
- ☒ Customer shall use as a check list when accepting the vehicle to verify all ordered options are included on the vehicle

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

DESCRIPTION

MICH. SPEC. NO.

**Diesel Vehicles are indicated with a “D” at the end of the specification number.
Alternative Fuel vehicles are indicated with a “A” at the end of the specification number.**

PASSENGER VEHICLES

Small, 4-Door Sedan, Auto. Trans.	3905-0002
Large-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0003
Alt Fuel - 4-Door Sedan, Auto. Trans.	3905-0003A
Mid-Size, 4-Door Sedan, Auto. Trans., F.W.D.	3905-0004
Large, Administrator Series, 4 -Door Sedan, Auto. Trans.	3905-0005

STATION WAGONS

5-Passenger, Auto. Trans., 4 door	3905-0017
-----------------------------------	-----------

Multi Functional Utility Vehicle.

5 Passenger, 4-Door, Auto. Trans., 4 door	3905-0018
Alt Fuel - 5 Passenger, Auto. Trans., 4 door	3905-0018A
6-7 Passenger, 4-Door, Auto. Trans.	3905-0019

TRUCKS, LIGHT DUTY

Pick-Up, 7 Ft. Box, Standard Cab, Payload – 1,000 lbs., min.	3958-0020
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,260 lbs., min.	3958-0023
Pick-Up, 6 Ft. Box, Payload - 1,600 lbs., min., “Work Truck”	3958-0025
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026
Alt Fuel -Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,600 lbs., min.	3958-0026A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min	3958-0027
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,400 lbs., min.	3958-0027A
Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028
Alt Fuel - Pick-Up, 6 Ft. Box, Extended Cab, Payload – 1,400 lbs., min	3958-0028A

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 3,240 lbs., min.	3958-0029D
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0030
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030A
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload – 1,400 lbs., min.	3958-0030D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 3,000 lbs., min	3958-0031D

VANS, PASSENGER AND UTILITY

Panel Van, Payload - 1,700 lbs., min.	3958-0032
Utility Vehicle, 4 Door, 5-6 Passenger, Payload 1,500 lbs., min.	3905-0034
Sport Van, 8 Passenger, Payload - 1,600 lbs., min.	3905-0035
Utility Vehicle, Large, 6-Passenger, Payload - 1,940 lbs., min.	3905-0036
Sport-Van, 12-Passenger, Payload - 2,649 lbs., min.	3905-0037
Panel Van, Payload - 3,100 lbs., min.	3958-0039
Van, 15-Passenger	3905-0040
Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042
Alt Fuel -Van, 7 Passenger, Compact, Front Wheel Drive	3905-0042A
Van, Cargo, Compact, Front Wheel Drive	3958-0044
Van, 7 Passenger, Compact, Long Wheel Base, Front Wheel Drive	3905-0045
Alt Fuel -Van, 7 Passenger, Compact, Extended Body, Front Wheel Drive	3905-0045A

TRUCKS, LIGHT DUTY

Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046
Diesel - Pick-Up, 6 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs., min.	3958-0046D

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Dual Rear, Payload - 5,000 lbs., min.	3958-0047D
Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payload - 4,200 lbs., min.	3958-0048
Diesel - Pick-Up, 8 Ft. Box, Std. Cab, Single Rear, Payld - 4,200 lbs.	3958-0048D
Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049
Diesel - Pick-Up, 8 Ft. Box, Crew Cab, 4 Dr., Payload – 3,800 lbs. min.	3958-0049D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Dual Rear	3958-0050D
Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, 4 Dr., Single Rear	3958-0051D
<u>VANS, COMMERCIAL</u>	
Van, Commercial, 10-Passenger, Raised Roof, Payload - 3,200 lbs., min.	3905-0057
Van, Commercial, Cargo, Raised Roof, Payload - 4,800 lbs., min.	3905-0058
<u>TRUCKS AND BODIES, MEDIUM DUTY</u>	
Cab and Chassis, approx. 137" W.B., G.V.W.R. 10,000 lbs., Gas	3958-0072
Cab and Chassis, approx. 128" W.B., G.V.W.R. 12,500 lbs., Diesel	3958-0073
Dump Body and Hoist, 2 cu. yd.	3958-0074
Stake Body, 9 Ft.	3958-0075
Stake Body and Hydraulic Hoist, 9 Ft.	3958-0076
Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077
Diesel - Cab and Chassis, approx. 152" W.B., Payload 5,500 lbs., min., Gas	3958-0077D
Cab and Chassis, approx. 152" W.B., Payload 6,675 lbs., min. Diesel	3958-0078
Stake Body, 12 Ft.	3958-0079

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0080
<u>TRUCKS, LIGHT DUTY, 4X4</u>	
Utility Vehicle, 4 Door, Payload 900 lbs., min.	3958-0083
Alt Fuel - Utility Vehicle, 4 Door, 2 Wheel Drive, Payload – 900 lbs., min.	3958-0083A
Pick-Up, 7 Ft. Box, Standard Cab, Payload 1,000 lbs., min.	3958-0084
Utility Vehicle, 4 Door, 6 Passenger, Payload 1,480 lbs., min.	3958-0085
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086
Alt Fuel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0086A
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087
Alt Fuel -Pick-Up, 6 Ft. Box, Extended Cab, Payload - 1,300 lbs., min.	3958-0087A
Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088
Diesel - Pick-Up, 8 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0088D
Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089
Diesel - Pick-Up, 6 Ft. Box, Extended Cab, Payload - 2,500 lbs., min.	3958-0089D
Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090
Alt Fuel - Pick-Up, 6 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0090A
Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091
Alt Fuel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 1,300 lbs., min.	3958-0091A
Pick-Up, 8 Ft. Box, Standard Cab, Payload – 2,800 lbs., min.	3958-0092
Diesel - Pick-Up, 8 Ft. Box, Standard Cab, Payload - 2,800 lbs., min.	3958-0092D
Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093
Diesel - Cab and Chassis, 10,000 Lb. G.V.W.R., Rear Duals	3958-0093D
Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
Alt Fuel - Utility Vehicle, Large, 6 Passenger, Payload - 1,500 lbs., min.	3905-0094A
<u>TRUCKS, MEDIUM DUTY, 4X4</u>	
Cab and Chassis, Body and Payload - approx. 13,000 lbs., min. 25,950 lbs. Min. G.V.W.R., Diesel engine	3958-0096
Cab and Chassis, approx. 137" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,800 lbs., min.	3958-0098
Cab and Chassis, approx. 161" W.B., G.V.W.R. 12,500 lbs., Diesel Payload 5,930 lbs., min.	3958-0099
<u>TRUCK, CUT-AWAY AND VAN BODY</u>	
Truck, Cut-Away, 8,900 lbs. G.V.W.R.	3958-0100
Truck, Cut-Away, 10,000 lbs. G.V.W.R	3958-0101
Van Body, Cut-Away Aluminum	3958-0102
Van Body, Cut-Away, Fiberglass Reinforced Plastic (F.R.P.)	3958-0103
Van, Full Body, Aluminum	3958-0104
Van, Full Body, Fiberglass Reinforced Plastic F.R.P.	3958-0105
Truck, Cut-Away, 11,000 lbs. G.V.W.R	3958-0108
Truck, Cut-Away, 14,000 lbs. G.V.W.R	3958-0109
<u>TRUCKS AND BODIES, HEAVY DUTY</u>	
Cab and Chassis, approx. 128" W.B., G.V.W.R 14,500 lbs., Gas	3958-0110
Cab and Chassis, approx. 128" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0111
Cab and Chassis, approx. 140" W.B., G.V.W.R 14,000 lbs. Gas, (4 x 4)	3958-0112
Cab and Chassis, approx 140" W.B., G.V.W.R 14,500 lbs., Diesel, (4 x 4)	3958-0113
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Gas	3958-0114
Cab and Chassis, approx. 152" W.B., G.V.W.R 15,000 lbs., Diesel	3958-0115
Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Gas, (4 x 4)	3958-0116

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
---------------------------	-------------------------------

Cab and Chassis, approx 152" W.B., G.V.W.R 15,000 lbs., Diesel, (4 x 4)	3958-0117
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.. Low Pro	3958-0134
Cab and Chassis, approx. 152" W.B., G.V.W.R 21,000 lbs.	3958-0135
Cab and Chassis, approx. 152" W.B., G.V.W.R 23,500 lbs., Diesel	3958-0136
Stake Body, 12 Ft.	3958-0137
Stake Body and Hydraulic Hoist, 12 Ft.	3958-0141
Dump Body and Hydraulic Hoist, 5-6 Yd.	3958-0158
Cab and Chassis, approx. 169" W.B., G.V.W.R 33,000 lbs. Diesel, 170 HP	3958-0160
Stake Body, 14 Ft.	3958-0161

TRUCKS AND BODIES, HEAVY DUTY

Cab and Chassis, approx. 217" W.B., G.V.W.R 27,000 lbs. Diesel, 210 HP	3958-0164
Van Body, 20 Ft., Aluminum	3958-0165
Van Body, 20 Ft., Fiberglass Reinforced Plastic, F.R.P.	3958-0167
Cab and Chassis, approx. 112" W.B., G.V.W.R 44,000 lbs., Diesel Single Axle	3958-0170
Dump Body and Hydraulic Hoist, 6.5 cu. yd.	3958-0171
Cab and Chassis, approx. 211" W.B., G.V.W.R 64,000 lbs., Diesel Tandem Axle	3958-0172
Cab and Chassis, approx. 177" W.B., G.V.W.R 52,000 lbs., Diesel Tandem Axle	3958-0173
Dump Body and Hydraulic Hoist, 10-12 cu. yd.	3958-0174

TRACTORS

70,000 lbs. G.C.W.R., Diesel Engine	3958-0178
-------------------------------------	-----------

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

<u>DESCRIPTION</u>	<u>MICH. SPEC. NO.</u>
<u>TAIL GATES</u>	
Hydraulic Power Tail Gate, 2,000 lbs. Capacity, 15,000 G.V.W.R., Conventional Type	3958-0215
Hydraulic Power Tail Gate, 3,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0216
Hydraulic Power Tail Gate, 4,000 lbs. Capacity, 20,000 G.V.W.R., Conventional Type	3958-0217
Hydraulic Power Tail Gate, Various Capacities, 15,000 G.V.W.R., Stow Away Type	3958-0218
Hydraulic Tailgate, approx. 1,000 Lb. Capacity, 10,000 G.V.W.R. or less, (Step Van, Parcel Vans or Pick-Ups)	3958-0219
Hydraulic Tailgate, approx. 1,500 Lb. Capacity, (10,000 G.V.W.R. and smaller, stake body) Fold-Up Type Or Tuck-Away Type	3958-0220
Hydraulic Tailgate, 1,250 to 4,000 lb. Capacities, Rail Type	3958-0221

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PASSENGER VEHICLE EQUIPMENT

The items listed below are to be supplied on all vehicles, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

Air Bag, Dual

Air Bags, Side (Standard on Ford vehicles only, not required for GM and Chrysler)

Air Conditioning.

Anti-freeze protection-to -30°F.

Battery-Maximum CCA available.

Brakes-Anti Locking System (ABS)

Color-Manufacturers Standard Color to be selected.

Defroster-Electric, rear window.

Floor Mats-Mfg. Std. , front and rear, color coordinated.

Glass-Tinted, all around.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.

Lights, Daytime Running (If available from manufacturer as standard equipment)

Mirror-Right-hand, outside (factory installed).

Moldings-Body side; if not independently available, but available only as a portion of a package, they may be dealer installed using "original equipment" as available from the manufacturer.

Pre-delivery inspection and servicing.

Radio-AM/FM mfg. standard, factory installed.

Rear Axle Ratio for maximum mileage in highway driving.

Seats; Front, Split Bench or Bucket Type

Speed Control, factory installed

Steering-Power, Tilt Wheel.

Tires, Radial, Manufacturers Standard

Upholstery, Seats - Cloth or Cloth and Vinyl.

Wipers, Windshield - dual, intermittent, electric with automatic type washers.

**ALL VEHICLES MUST BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS.**

Note: No dealer advertising decals are to be on vehicle.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. They have also been included in the individual specifications and are to be furnished on all vehicles:

See individual specifications for MDOT specific options.

12 Volt auxiliary outlet

Air Conditioning - All trucks

Anti-freeze protection, to -30°F.

Arm Rest-Driver's side.

Color-Manufacturers Standard to be selected.

Coolant System-Maximum Size Available, including the Heaviest Duty Radiator

Dome Light.

Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

Keys-(2) sets with code numbers; shall be with vehicle at time of delivery. (Three sets for MDOT)

Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

TRUCK EQUIPMENT (Continued)

Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.

Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.

Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.

Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.

Pre-delivery inspection and servicing.

Radio - AM/FM Manufacturers Standard, Factory Installed

Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)

Seats-Split Bench type, unless otherwise specified

Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.

Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.

Speed Control, Factory Installed

Steering-Power, Tilt Wheel

Sun visors-dual.

Jack-Furnish on trucks up to and including 12,000 G.V.W.R.

Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE

The term "Pre-Delivery Service and Inspection" as used in State of Michigan Specifications includes the following:

1. General appearance of body both interior and exterior for completeness and quality of workmanship.
2. Lubrication and fluid levels and correcting any leaks:
 - a. Radiator
 - b. Windshield Washer
 - c. Battery
 - d. Power steering pump
 - e. Brake master cylinder
 - f. Engine oil
 - g. Transmission fluid level.
3. Mechanical operation of vehicle:
 - a. Steering gear and linkage
 - b. Suspension assembly, front and rear
 - c. Proper tire pressure to normal rated road requirements
 - d. Hood latch
 - e. Head lights, aim and adjust
 - f. Front wheel toe in and torque wheel nuts
 - g. Seat and shoulder belts operative
 - h. All locks and latches to be operative
 - i. Windshield wiper and washer to be operative
 - j. Proper adjustment to all drive belts
4. A check of all electrical operations to include: headlights, side marker lights, temperature, alternator, oil pressure lights, parking lights, stop and tail lights, directional signals, emergency flasher and parking brake lights.
5. **Miscellaneous items to be furnished:**
 - a. **Manufacturers Window Sticker shall not be removed from vehicle**
 - b. **Odometer Certification, and Vehicle Curb Weight at time of delivery**
 - c. **Manufacturers or Dealers Pre-Delivery Check Sheet**
 - d. **Vehicle shall have a Minimum of (4) Gallons of Fuel in tank when delivered**
 - e. **Warranty Plate and Operators Manual(s) shall be delivered with vehicle at no cost to the State of Michigan.**

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

PRE-DELIVERY SERVICE (Continued)

6. Deliveries shall be between the hours of 8 AM and 3 PM. No Weekend or Holiday Deliveries will be accepted. Forty-eight (48) hour notice required prior to delivery.

It is intended that vehicles delivered in accordance with the Michigan specifications will be complete, including mechanical details, general workmanship and appearance, and shall be delivered complete with all warranty service books and identification plate.

Failure to adhere to specifications may be reason to delay payment.

**STATE OF MICHIGAN
DEPARTMENT OF MANAGEMENT AND BUDGET
PURCHASING OPERATIONS**

RECEIVING PROCEDURE

It is important that all State agencies and departments carefully inspect all vehicles prior to signing the Freight Bill. If any vehicle is received in a damaged condition of component parts or accessories are missing, a notation of the discrepancy(ies) is to be made on the Freight Bill and then be signed by the driver who delivered the vehicles. A Complaint to Vendor Form should be initiated and sent to the vendor at once noting discrepancies. Failure to note obvious deficiencies at time of delivery on the Freight Bill may place the burden of repair on the receiving agency.

It is recommended that the following items be checked prior to signing the Freight Bill:

1. Visually inspect exterior of vehicle for paint, body, tire, tail light, antenna, outside rear view mirror and molding damage.
2. Visually inspect under hood for the following items:
 - a. Air cleaner
 - b. Battery and caps
 - c. Radiator cap
 - d. Windshield washer container.
3. Check for cracked or broken windows.
4. Check trunk compartment for the following:
 - a. Spare tire and wheel
 - b. Jack
 - c. Wheel wrench
 - d. Four hub caps
 - e. Trunk mat.
5. Check interior of vehicle for the following items:
 - a. Owner's manual and warranty material
 - b. Cigarette lighter
 - c. Two sets of keys (Three sets for MDOT)
 - d. Make sure all seat belts are installed
 - e. Sun visors
 - f. Upholstery damage or excessive soil.

It is the responsibility of the agency to check for any other items that could possibly have been missing in accordance with the purchase order and the specification data.

TRUCK: PANEL-VAN BODY
(Payload-1,700 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC G13405	FORD ECONOLINE E150
G.V.W.R. (lbs.)	7,200	8,520
Wheelbase (inches), 125 minimum	135	138
Engine: Gasoline	5.3L	4.6L
Type & No. of Cylinders, 8 minimum	V-8	V-8
Net H.P.-S.A.E.	301	225
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	4,000	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,900
Rear-lbs. each	2,000	2,560

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☒ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☒ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp. min.
- ☒ Axle, rear-limited slip
- ☒ Battery-12 Volt, 600 CCA minimum.
- ☒ Brakes-Power.
- ☒ Bumper-Rear, Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Glass-movable side door window(s), fixed or movable rear door windows.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- ☒ 40 sq. in. minimum, swing away type. Installed.
- ☒ Panel doors, rear-Window in top of each door. Locks on all doors. Door right side, hinged.
- ☒ Seats-high back, driver and passenger.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

PRICING SHEET

<u>TRUCK: PANEL-VAN BODY</u> (Payload-1,700 lbs., min.) Mich. Spec. #3958-0032	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$16,807.00*
Final Point of Assembly: Wentzville, MO	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0032

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG13405	2008 GMC Savana Cargo Van RWD 1500 135"	\$22,375.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>Code</u>	<u>Description</u>
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMF	ENGINE, VORTEC 5.3L V8 SFI	\$995.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$325.00
AXLE		
GU6	REAR AXLE, 3.42 RATIO	\$0.00
SIDE DOOR		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SIDE DOOR		
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	PREFERRED EQUIPMENT GROUP,	\$0.00
FRONT TIRES		
XNK	TIRES, FRONT P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
REAR TIRES		
YNK	TIRES, REAR P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
SPARE TIRE		
ZNK	TIRE, SPARE P245/75R16 ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE	\$0.00
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE	\$0.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM	\$0.00
SEAT TRIM		
_W	SEAT TRIM, CUSTOM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$150.00
WHEELS		
___	WHEELS, GRAY-PAINTED,	\$0.00
GLASS PACKAGE		
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS	\$130.00
REQUIRED OPTION		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
REQUIRED OPTION		
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
DAA	VISORS, DRIVER AND FRONT PASSENGER,	INC
A18	GLASS, SWING-OUT REAR CARGO DOOR WINDOWS	\$0.00
A19	GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW	\$160.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$2,155.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

EPA FUEL ECONOMY RATINGS

- City 15/hwy 20 (4.3L engine/4-speed auto trans)
- City 14/hwy 18 (5.3L FlexFuel engine/4-speed auto trans w/gas)
- City 10/hwy 13 (5.3L FlexFuel engine/4-speed auto trans w/E85 gas/eth. mix)

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- License plate kit, front
- Wipers, front intermittent wet-arm with pulse washers
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

INTERIOR

- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim.)
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not standard with (YF2) Ambulance Package.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center, includes fuel range, average speed, oil life, and tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Air conditioning, single-zone manual
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, cloth, over driver and passenger (Not included with (YF2) Ambulance Package.)
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 8:50:50 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

MECHANICAL

- Engine, Vortec 4.3L V6 MFI (195 hp [145.4 kW] @ 4600 rpm, 260 lb-ft of torque [351.0 N-m] @ 2800 rpm) (Standard and only available on *G13405 model. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LU3) Vortec 4.3L V6 MFI engine or (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear axle, 3.42 ratio (Standard on **13405 models. Reference the Engine/Axle page for availability.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- GVWR, 7200 lbs. (3266 kg) (Standard on *G13405 models. Reference the Engine/Axle page for availability.)
- Frame, full-length box ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Requires *G***05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Tires, front P245/75R16 all-season, blackwall (Standard on **13405 models.)
- Tires, rear P245/75R16 all-season, blackwall (Standard on **13405 models.)
- Tire, spare P245/75R16, all-season, blackwall, located at rear underbody of vehicle (Standard on **13405 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 8:50:50 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 1500 135" TG13405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13405 RWD 1500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 8:50:50 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0032
 MAKE OF TRUCK: GMC MODEL: Savana T613405 GVWR 7200 lbs.
 PAYLOAD: 2309 # W.B. 135" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LMF SAE H.P. 301
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4spd
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2000 lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 4000 lbs. REAR RATIO 3.42
 ALTERNATOR: 105 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P245/75R16 PR REAR P245/75R16 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XNK
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE
(Payload-1,500 lbs., min.)

MODEL-2008 CURRENT NEW

	JEEP GRAND CHEROKEE/ <u>COMMANDER</u>	FORD <u>EXPEDITION</u>	DODGE DURANGO <u>HB1M74</u>	CHEV/ <u>GMC</u> <u>TAHOE/YUKON</u>
G.V.W.R. (lbs.)	5,700	7,400	6,600	7,100
Wheelbase (inches)	109.5	119	119.2	116
Engine: Gasoline	4.7L	5.4L	4.7L	4.8L
Type & No. of Cylinders	V-8	V-8	V-8	V-8
Net H.P.-S.A.E.	235	300	230	295
Transmission: Automatic				
Axle, Min. Cap. Rear-lbs.	3,200	4,250	3,686	4,100
Springs, Cap. at Ground				
Front-lbs., ea.	TBD	1,750	1,550	1,600
Rear-lbs., ea.	TBD	2,125	1,950	2,050

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☒ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☒ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA min.
- ☒ Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- ☒ Brakes-Power.
- ☒ Bumper-Rear, Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- ☒ Seats-Full bench front, & full width seat facing forward back of the front seat.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Stabilizer bar-front.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY, 4-DOOR, 5-6 PASSENGER, FULL SIZE</u> (Payload-1,500 lbs., min.) Mich. Spec. #3905-0034	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Yukon <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$23,799.00*
Final Point of Assembly: Arlington, TX	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0034

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC10706	2008 GMC Yukon 2WD 4dr 1500 Commercial	\$34,790.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE	LY2	ENGINE, VORTEC 4.8L V8 SFI	\$0.00
TRANSMISSION	M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL	G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$295.00
AXLE	GU5	REAR AXLE, 3.23 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$1,950.00
SEATING ARRANGEMENT			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEATING ARRANGEMENT		
—	NO THIRD ROW SEAT	\$0.00
SEAT TYPE		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
SEAT TRIM		
—V	VINYL SEAT TRIM	\$0.00
PAINT		
—	PAINT, SOLID	\$0.00
RADIO		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
WHEEL TYPE		
NX7	WHEELS, 4-17" X 7" (43.2 CM X 17.8 CM) STEEL	\$0.00
ADDITIONAL OPTIONS		
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
G63	LUGGAGE RACK, DELETE	-\$25.00
UE0	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		-\$2,060.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

EPA FUEL ECONOMY RATINGS

- City 14/hwy 19 (4.8L engine/4-speed auto trans)
- City 14/hwy 20 (5.3L engine/4-speed auto trans)
- City 14/hwy 20 (5.3L flex-fuel engine/4-speed auto trans)
- City 11/hwy 15 (5.3L flex-fuel engine/4-speed auto trans with E85 gas/ethan. mix)

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 9:18:12 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

- Fleet Package

MECHANICAL

- Vortec 4.8L V8 SFI (295 hp [220.0 kW] @ 5600 rpm, 305 lb-ft torque [411.8 N-m] @ 4800 rpm), iron block (Standard on 2WD models only. Not available on 4WD models or with (NHT) Max Trailering Package.)
- Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode
- Rear axle, 3.23 ratio (Requires 2WD models. Upgradeable to (GT4) 3.73 rear axle ratio. Not available with (NHT) Max Trailering Package.)
- Rear wheel drive
- Alternator, 160 amps
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- GVWR, 7100 lbs. (3221 kg) (Standard on 2WD models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Premium Smooth Ride
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tires, P265/70R17 all-season, blackwall
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare P265/70R17 (Upgradeable to (4JP) P265/70R17 on-/off-road, blackwall spare tire.)
- Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (Upgradeable to (QF7) 4 - 17" x 7.5" (43.2 cm x 19.1 cm) bright aluminum wheels.)
- Wheel, 17" (43.2 cm) full-size, steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 6

Prepared By:

Albert Li

Red Holman Pontiac GMC

35300 Ford Rd

Westland, MI 48185

Phone: (734) 721-1144

Fax: (734) 721-1780

Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon 2WD 4dr 1500 Commercial TC10706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC10706 2WD 4dr 1500 Commercial

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:18:12 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3905-0034
 MAKE OF TRUCK: GMC MODEL: Yukon TC10706 GVWR 7100 lbs.
 PAYLOAD: 1913 # W.B. 116" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY2, 4.8L SAE H.P. 295
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4spd
 SPRING CAP. @ GROUND EACH: FRONT 1625 lbs. REAR 2050 lbs. AUX. N/A lbs.
 AXLES: FRONT 3200 lbs. REAR 4100 lbs. REAR RATIO 3.23
 ALTERNATOR: 160 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT P265/70R17 PR REAR P265/70R17 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QAN
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: SPORT-VAN, 8 PASSENGER
(Payload-1,600 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV. EXPRESS GMC, SAVANA G13406	FORD ECONOLINE WAGON E150
G.V.W.R. (lbs.)	7,200	8,520
Wheelbase (inches)	135	138
Engine: Gasoline	5.3L	4.6L
Type & No. of Cylinders, 8 minimum	V-8	V-8
Net H.P.-S.A.E.	301	225
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	4,000	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	1,800	1,900
Rear-lbs. each	2,000	2,560

Tires, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☒ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☒ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp. min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volts; 600 CCA minimum.
- ☒ Body-Finished interior, (no exposed outside body sheet metal), full length Headliner.
- ☒ Brakes-Power.
- ☒ Bumper-Rear, Mfg. Std.
- ☒ Door-Right Side, hinged.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Glass-movable side door window(s), fixed or movable rear door windows.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

PRICING SHEET

<u>TRUCK: SPORT-VAN, 8 PASSENGER</u> (Payload-1,600 lbs., min.) Mich. Spec. #3905-0035	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$16,263.00*
Final Point of Assembly: Wentzville, MO	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0035

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG13406	2008 GMC Savana Passenger RWD 1500 135"	\$25,955.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMF	ENGINE, VORTEC 5.3L V8 SFI	\$0.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
FRONT TIRES		
XNK	TIRES, FRONT P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
REAR TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:28 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
REAR TIRES		
YNK	TIRES, REAR P245/75R16 ALL-SEASON, BLACKWALL	\$0.00
SPARE TIRE		
ZNK	TIRE, SPARE P245/75R16 ALL-SEASON, BLACKWALL,	\$0.00
SEATING ARRANGEMENT		
ZP8	SEATING, 8-PASSENGER, (2-3-3 SEATING CONFIGURATION)	\$0.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	\$0.00
SEAT TRIM		
_W	CUSTOM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
	WHEELS, GRAY-PAINTED,	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL IN LIEU OF STANDARD CLOTH	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$395.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:28 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

EPA FUEL ECONOMY RATINGS

- City 12/hwy 16 (5.3L engine/4-speed auto trans)
- City 12/hwy 16 (5.3L FlexFuel engine/4-speed auto trans w/gas)
- City 9/hwy 12 (5.3L FlexFuel engine/4-speed auto trans w/E85 gas/ethanol mix)

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:28 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 8-passenger, (2-3-3 seating configuration) (Standard on **13406 model only. Available on *G23406 or *G33406 models.)
- Console, engine cover with open storage bin
- Cup holders, 3 on engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Defogger, front and side windows
- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers (Not available with (NP5) leather wrapped steering wheel.)
- Headliner, cloth
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded (Not standard with *G33706 models. See (DH6) padded driver and front passenger visors with cloth trim and dual vanity mirrors.)
- Assist handle, front passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:29 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

MECHANICAL

- Engine, Vortec 5.3L V8 SFI (301 hp [224.4 kW] @ 5200 rpm, 325 lb-ft of torque [438.8 N-m] @ 4500 rpm) (Standard on **13406 models.)
- Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on **13406 models. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Rear axle, 3.73 ratio
- Rear-wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (C69) rear air conditioning.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 7200 lbs. (3266 kg) (Standard on *G13406 models. Reference the Engine/Axle page for availability.)
- Tires, front P245/75R16 all-season, blackwall (Standard on **13406 models.)
- Tires, rear P245/75R16 all-season, blackwall (Standard on **13406 models.)
- Tire, spare P245/75R16 all-season, blackwall, located at rear underbody of vehicle (Standard on **13406 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:29 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 1500 135" TG13406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG13406 RWD 1500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Child seat anchors, all three passenger rear seats have four anchors and two tethers
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:31:29 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3905-0035
 MAKE OF TRUCK: GMC MODEL: Savana T6B406 GVWR 7200 lbs.
 PAYLOAD: 1894 # ☒ W.B. 135" ☒ C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ☒ MAKE: Gm MODEL: LMF, 5.3 ☒ SAE H.P. 301 ☒
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic M30 4spd ☒
 SPRING CAP. @ GROUND EACH: FRONT 1800 lbs. REAR 2000 lbs. AUX. N/A lbs.
 AXLES: FRONT 3600 lbs. REAR 4000 lbs. REAR RATIO 3.73
 ALTERNATOR: 105 ☒ amps. BATTERY 600 ☒ cca.
 TIRE SIZE: FRONT P245/75R16 PR REAR P245/75R16 PR SINGLE ☒ DUAL ☐ M&S ☐
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XNk
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: UTILITY VEHICLE, LARGE-6-PASSENGER
(Payload-1,940 lbs., min.)

MODEL-2008 CURRENT NEW

SUBURBAN/**YUKON XL**
C20906

G.V.W.R. (lbs.)	8,600
Wheelbase (inches)	130
Engine: Gasoline	6.0L
Type & No. of Cylinders	V-8
Net H.P.-S.A.E.	352
Transmission: Automatic	
Axle, Min. Cap. Rear-lbs.	5,500
Springs, Cap. at Ground	
Front-lbs., ea.	2,050
Rear-lbs., ea.	3,000

Tires, Tubeless-P235/75R15 minimum. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☒ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☒ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☒ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.

- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA min.
- ☒ Body-Finished interior (no exposed outside body sheet metal), full length headliner.
- ☒ Brakes-Power.
- ☒ Bumper-Rear, Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 54 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Stabilizer bar-front.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

PRICING SHEET

<u>TRUCK: UTILITY VEHICLE, LARGE-6-PASSENGER</u> (Payload-1,940 lbs., min.) Mich. Spec. #3905-0036	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Yukon F.O.B. - Dealership Delivery Cost Per Mile \$1.00	\$27,778.00*
Final Point of Assembly: Arlington, TX or Jamesville, WI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0036

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20906	2008 GMC Yukon XL 2WD 4dr 2500 Commercial	\$39,680.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>Code</u>	<u>Description</u>
19V	Interior: Ebony
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$295.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	COMMERCIAL PREFERRED EQUIPMENT GROUP	-\$2,480.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEATING ARRANGEMENT		
—	NO THIRD ROW SEAT	\$0.00
SEAT TYPE		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00
AM8	SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH	\$0.00
SEAT TRIM		
—V	VINYL SEAT TRIM	\$0.00
PAINT		
—	PAINT, SOLID	\$0.00
RADIO		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER,	\$0.00
WHEEL TYPE		
QB5	WHEELS, 4-16" X 6.5" (40.6 CM X 16.5 CM) STEEL DISC	\$0.00
ADDITIONAL OPTIONS		
ANJ	GLASS, NON-DEEP TINTED	-\$295.00
G63	LUGGAGE RACK, DELETE	-\$25.00
UE0	ONSTAR, DELETE	-\$85.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		-\$2,590.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

EXTERIOR

- Luggage rack side rails, roof-mounted, Black
- Fascia, front color-keyed
- Fascia, rear color-keyed
- Air dam, Gray
- Grille, chrome surround
- Assist steps, body-color, mounted between front and rear wheels
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Wipers, front intermittent wet-arm with flat blade and pulse washers
- Body, liftgate with liftglass, rear door system with rear-window wiper/washer
- Wiper, rear intermittent with washer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

INTERIOR

- Seats, front 40/20/40 split-bench with Custom Cloth, 3-passenger, includes 6-way power driver seat adjuster, driver and front passenger manual reclining, center fold-down storage armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets
- Seat adjuster, driver power (Not available with vinyl seats.)
- Seats, second row 60/40 split-folding bench with Custom Cloth, 3-passenger with center armrest and storage tray
- Cup holders, in front seating area
- Cup holders, driver and passenger-side in third row side trim
- Floor covering, Black rubberized-vinyl (Required with (AZ3) front 40/20/40 split-bench seat with vinyl or SEO (9S1) vinyl bucket seats.)
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Steering wheel, vinyl
- Tow/haul mode selector, button located at end of shift lever
- Tire Pressure Monitoring System (does not apply to spare tire)
- Driver Information Center, full-functionality included
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, power with driver Express-Down and lockout features
- Door locks, power programmable with lockout protection
- Remote vehicle starter prep package, includes Remote Keyless Entry (Remote vehicle starter fob available through GM Accessories.)
- Cruise control, electronic with set and resume speed
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- Audio system feature, 8-speaker system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- XM Satellite Radio, delete
- Antenna, integral in rear quarter glass
- Air conditioning, dual-zone manual climate control with individual climate settings for driver and right-front passenger
- Air conditioning, rear auxiliary
- Heater, rear auxiliary with rear passenger heating ducts
- Defogger, rear-window electric
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn & Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. Stolen Vehicle Location Assistance and Remote Door Unlock success varies with conditions. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com or call 1-888-466-7827 for system limitations and details.)
- Theft-deterrent system, vehicle, PASS-Key III
- Power outlets, 3 auxiliary, 12-volt, includes 2 on the instrument panel and 1 in the cargo area
- Door trim, lights on the front doors and side reflectors on the rear doors
- Armrests, driver and passenger doors, padded
- Mirror, inside rearview auto-dimming with 8-point compass and outside temperature display
- Console, overhead mini with map lights
- Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod, includes corner storage pockets on back of visors, Shale-colored
- Assist handles, front passenger and second row outboard
- Coat hooks, driver- and passenger-side rear seat and cargo area
- Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Storage bin, behind driver-side rear quarter panel

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- Fleet Package

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acliix@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (352 hp [262.5 kW] @ 5400 rpm, 383 lb-ft of torque [517.1 N-m] @ 4300 rpm) (Requires 3/4 ton models.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 3/4 ton models.)
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver-side of radiator (Not available on 1/2 ton models.)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil (Standard on 3/4 ton models. Required with (GT5) 4.10 rear axle ratio.)
- Alternator, 145 amps (Requires 3/4 ton models. Not available with (VYU) Snow Plow Prep Package.)
- Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and (VR4) 2" trailering receiver
- Recovery hooks, 2 front, frame-mounted (Standard on 4WD models. Standard on 3/4 ton models.)
- GVWR, 8600 lbs. (3901 kg) (Requires 3/4 ton models.)
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Suspension Package, Handling/Trailering, heavy-duty (3/4 ton models only.)
- Suspension, front independent with torsion bar (3/4 ton models only.)
- Suspension, rear multi-stage leaf springs (3/4 ton models only.)
- Tires, LT245/75R16E all-season, blackwall (Requires 3/4 ton models. Upgradeable to (QIW) LT245/75R16E on-/off-road blackwall tires.)
- Tire carrier, lockable outside spare, winch-type mounted under frame at rear
- Tire, spare LT245/75R16 all-season, blackwall (Requires 3/4 ton models. Upgradeable to (4GK) LT245/75R16E on-/off-road, blackwall spare tire.)
- Wheels, 4 - 16" X 6.5" (40.6 cm x 16.5 cm) steel disc (3/4 ton models only. Upgradeable to (PY0) 4 - 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug polished forged aluminum wheels.)
- Wheel, 16" (40.6 cm) full-size spare (3/4 ton models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Yukon XL 2WD 4dr 2500 Commercial TC20906

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20906 2WD 4dr 2500 Commercial

- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc with hydroboost (Requires 3/4 ton models.)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Tools, mechanical jack and wheel wrench, stored in rear quarter trim

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row 50/50 split-bench seat or (AW2) 2-passenger third row 50/50 split-bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats
- StabiliTrak, stability control system with Proactive Roll Avoidance
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:40:22 PM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3905-0036
 MAKE OF TRUCK: Gmc MODEL: Yukon XL TC20906 GVWR 8600 lbs.
 PAYLOAD: 2634 ✓ W.B. 130" ✓ C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 352 ✓
 FUEL TANK(S) CAPACITY: 39 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2050 ✓ lbs. REAR 2750 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4100 lbs. REAR 6000 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 145 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT T245/75R16 PR REAR T245/75R16 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE Q12
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: SPORT-VAN-12-PASSENGER

(Payload-2,649 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV EXPRESS/ GMC SAVANA <u>G23406</u>	FORD ECONOLINE WAGON <u>E350</u>
G.V.W.R. 8,600 (lbs.), minimum	8,600	8,800
Wheelbase (inches)	135	138
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	322	255
Transmission: Automatic.		
Axle, Rear Min. Cap. Rear-lb.	5,360	6,340
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,950
Rear-lbs. each	2,680	2,772

Tires, Truck, Tubeless, Radial to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☒ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☒ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".

- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Air Conditioning-Front and Rear
- ☒ Alternator-80 amp. min.
- ☒ Arm rest-Driver's side and 3 bench seats.
- ☒ Battery-12 Volts, 600 CCA min.
- ☒ Body-Finished interior (No exposed outside body sheet metal), full length headliner.
- ☒ Brakes-Power.
- ☒ Bumper-Mfg. Std.
- ☒ Door(s)-Right Side, hinged. Rear panel doors with glass.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- ☒ 40 sq. in. minimum, swing away type. Installed.
- ☒ Seats, Cloth
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Glass-Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door windows.
- ☒ Heater, auxiliary-Passenger compartment.
- ☒ Locks – Power Doors, Factory Installed
- ☒ Seats-Cloth, Front, Driver and passenger and 3 bench seats. High back driver and passenger.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: SPORT-VAN-12-PASSENGER</u> (Payload-2,649 lbs., min.) Mich. Spec. #3905-0037	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,614.00*
Final Point of Assembly: Wentzville, MO	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0037

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG23406	2008 GMC Savana Passenger RWD 2500 135"	\$27,440.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L V8 SFI	\$0.00
TRANSMISSION		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
SEATING ARRANGEMENT		
ZX5	SEATING, 12-PASSENGER, (2-3-3-4 SEATING CONFIGURATION)	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEAT TYPE		
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM, HEAD RESTRAINTS AND INBOARD ARMRESTS	\$235.00
SEAT TRIM		
_G	CUSTOM CLOTH	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
___	WHEELS, GRAY-PAINTED,	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
C69	AIR CONDITIONING, REAR	\$870.00
U80	COMPASS, 8-POINT DIGITAL	INC
TR9	LIGHTING, AUXILIARY	\$150.00
DH6	VISORS, DRIVER AND FRONT PASSENGER, PADDED	INC
C36	HEATER, REAR AUXILIARY	INC
KG3	ALTERNATOR, 145 AMPS	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,650.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash. (Standard on *G23406, *G33406 and *G33706 models with 12- and 15-passenger seating. Not available with 8-passenger seating.)
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration (Standard on *G23406, *G33406, and *G33706 models only.)
- Console, engine cover with open storage bin
- Cup holders, 3 on engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Defogger, front and side windows
- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers (Not available with (NP5) leather wrapped steering wheel.)
- Headliner, cloth
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded (Not standard with *G33706 models. See (DH6) padded driver and front passenger visors with cloth trim and dual vanity mirrors.)
- Assist handle, front passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Rear axle, 3.73 ratio
- Rear-wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (C69) rear air conditioning.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 8600 lbs. (3901 kg) (Standard on TG23406 model. Reference the Engine/Axle page for availability.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on *G23406, *G33406 and *G33706 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 9:55:00 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 2500 135" TG23406

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23406 RWD 2500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Child seat anchors, all three passenger rear seats have four anchors and two tethers
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 9:55:00 PM

Page 6



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3905-0037
 MAKE OF TRUCK: GMC MODEL: Savana TG-23406 GVWR 8600 lbs.
 PAYLOAD: 2628 # W.B. 135" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 323
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic MT1 4spd
 SPRING CAP. @ GROUND EACH: FRONT 2050 lbs. REAR 2680 lbs. AUX. N/A lbs.
 AXLES: FRONT 4100 lbs. REAR 5360 lbs. REAR RATIO 3.73
 ALTERNATOR: 145 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT T245/55R16 PR REAR T245/55R16 SINGLE ✓ DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PANEL-VAN BODY
(Payload-3,100 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV VAN/ GMC SAVANA <u>G23405</u>	FORD ECONOLINE <u>E-250</u>
G.V.W.R. 8,550 (lbs.), minimum	8,600	9,000
Wheelbase (inches)	135	138
Engine: Gasoline	4.8L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	279	255
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	5,360	5,520
Springs, Min. Cap. at Ground		
Front-lbs. each	2,050	1,900
Rear-lbs. each	2,680	2,772

Cab-Standard.

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☒ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.

- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp. min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA min.
- ☒ Brakes-Power.
- ☒ Bumper Rear, Mfg. Std.
- ☒ Doors, Rear, Panel-Window in top of each door, fixed or movable type. Locks on all
- ☒ doors. Door Right Side, hinged with movable windows.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- ☒ 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed
- ☒ Seats-Cloth, Front, Driver and passenger. High back driver and passenger.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PANEL-VAN BODY</u> (Payload-3,100 lbs., min.) Mich. Spec. #3958-0039	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$15,651.00*
Final Point of Assembly: Wentzville, MO	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0039

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG23405	2008 GMC Savana Cargo Van RWD 2500 135"	\$23,450.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

<u>Code</u>	<u>Description</u>
93W	Interior: Medium Pewter
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
ZW9	BODY, STANDARD	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY2	ENGINE, VORTEC 4.8L V8 SFI	\$0.00
TRANSMISSION		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
SIDE DOOR		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SIDE DOOR		
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT	\$0.00
PREFERRED EQUIPMENT GROUP		
1WT	PREFERRED EQUIPMENT GROUP,	\$0.00
FRONT TIRES		
XHH	TIRES, FRONT LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
REAR TIRES		
YHH	TIRES, REAR LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SPARE TIRE		
ZHH	TIRE, SPARE LT245/75R16E ALL-SEASON, BLACKWALL, LOCATED AT REAR UNDERBODY OF VEHICLE	\$0.00
SEATING ARRANGEMENT		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, ADJUSTABLE	\$0.00
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM	\$0.00
SEAT TRIM		
__W	SEAT TRIM, CUSTOM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
AIR CONDITIONING		
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$150.00
WHEELS		
___	WHEELS, GRAY-PAINTED,	\$0.00
GLASS PACKAGE		
ZW3	GLASS, FIXED REAR DOORS AND SIDE CARGO DOORS	\$130.00
REQUIRED OPTION		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 2

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
REQUIRED OPTION		
PPC	TRIM PANELS, HINGED REAR SIDE DOORS AND HINGED REAR DOORS	\$0.00
ADDITIONAL OPTIONS		
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND CRUISE CONTROL	\$395.00
DAA	VISORS, DRIVER AND FRONT PASSENGER,	INC
A18	GLASS, SWING-OUT REAR CARGO DOOR WINDOWS	\$0.00
A19	GLASS, SWING-OUT REAR SIDE DOOR AND REAR DOOR WINDOW	\$160.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available with (ZR7) Chrome Appearance Package.)
- Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)
- Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray light-tinted, all windows
- License plate kit, front
- Wipers, front intermittent wet-arm with pulse washers
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

INTERIOR

- Seating arrangement, driver and front passenger high-back buckets, adjustable with head restraints and vinyl or cloth trim
- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim.)
- Console, engine cover with open storage bin
- Floor covering, full-length Black rubberized-vinyl (Not standard with (YF2) Ambulance Package.)
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Driver Information Center, includes fuel range, average speed, oil life, and tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Tow/haul mode selector, instrument panel-mounted
- Theft-deterrent system, vehicle, PASS-Key III
- Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers
- Air conditioning, single-zone manual
- Defogger, side windows
- Cup holders, 3 on the engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, cloth, over driver and passenger (Not included with (YF2) Ambulance Package.)
- Visors, driver and front passenger, padded
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

MECHANICAL

- Engine, Vortec 4.8L V8 SFI (279 hp [208 kW] @ 5200 rpm, 294 lb-ft of torque [396.9 N-m] @ 4500 rpm) (Includes external engine oil cooler. Standard on *G23*05 models and *G33*05 models. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LY2) Vortec 4.8L V8 SFI engine or (LY6) Vortec 6.0L V8 SFI engine. Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine. Reference the Engine/Axle page for availability.)
- Brake/transmission shift interlock, for automatic transmissions
- Rear axle, 3.73 ratio (Standard on the *G23*05 and *G33*05 models. Available on **13405 models with (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)
- Rear wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 105 amps (Not available with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)
- GVWR, 8600 lbs. (3901 kg) (Standard on *G23*05 models. Reference the Engine/Axle page for availability.)
- Frame, full-length box ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Requires *G***05 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- Tires, front LT245/75R16E all-season, blackwall (Standard on the *G23*05 and *G33*05 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on the *G23*05 and *G33*05 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on the *G23*05 and *G33*05 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Cargo Van RWD 2500 135" TG23405

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG23405 RWD 2500 135"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver side only frontal air bag. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Air bag deactivation switch, frontal, passenger-side (Requires (C6P) 8600 lbs. (3901 kg) GVWR or (C6Y) 9600 lbs. (4354 kg) GVWR. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size. See the vehicle's Owner's Manual and child safety seat instructions for more safety information.)
- Brake/transmission shift interlock, for automatic transmissions
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:08:46 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0039
 MAKE OF TRUCK: Gmc MODEL: Savana T623405 GVWR 8600 lbs.
 PAYLOAD: 3260 # ✓ W.B. 135" ✓ C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY2, 4.8 SAE H.P. 279 ✓
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic MT1 4-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2050 ✓ lbs. REAR 2680 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4100 lbs. REAR 5360 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 105 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT T245/SR16E PR REAR T245/SR16E PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: VAN-15 PASSENGER

MODEL-2008 CURRENT NEW

	FORD SUPER DUTY EXT. WAGON <u>E-350</u>	CHEVY/ GMC EXTENDED SPORTVAN <u>G33706</u>
G.V.W.R. (lbs.)	9,100	9,600
Wheelbase (inches)	138	155
O.A.L	231.8	244.1
Engine: Gasoline	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	255	323
Transmission: Automatic		
Axle, Min. Cap.		
Front-lbs.	5,000	4,300
Rear-lbs.	6,340	6,084
Springs, Min. Cap. at Ground		
Front-lbs. each	1,700	2,150
Rear-lbs. each	3,097	3,042

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Air Conditioning-Front and Rear
- ☒ Alternator-80 amp., min.
- ☒ Battery-12 Volt, 600 CCA min.
- ☒ Brakes- Power.
- ☒ Bumper-Front and Rear, Mfg. standard finish.
- ☒ Doors-Passenger, right side, double.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Glass -Swing-out side doors, and fixed or swing-out rear door windows.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- ☒ 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Full size. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Stabilizer bar-front.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Glass-Deep tinted or privacy, all around, movable side door window(s), fixed or movable rear door windows.
- ☒ Heater, Auxiliary-Passenger compartment.
- ☒ Insulation package-Front floor driver's compartment, side panels. Full-length headlining insulation, full width floor mat passenger compartment. (Deluxe or heavy duty.)
- ☒ Locks – Power Doors.
- ☒ Seat, driver and passenger, high back bucket, and 4-bench type passenger cloth seats with arm rests.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: VAN-15 PASSENGER</u> Mich. Spec. #3905-0040	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Savana <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$21,184.00*
Final Point of Assembly: Wentzville, MO	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3905-0040

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TG33706	2008 GMC Savana Passenger RWD 3500 155"	\$30,824.20

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L V8 SFI	\$0.00
TRANSMISSION		
MT1	TRANSMISSION, 4-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1LS	LS PREFERRED EQUIPMENT GROUP	\$0.00
SEATING ARRANGEMENT		
ZP3	SEATING, 15-PASSENGER, (2-3-3-3-4 SEATING CONFIGURATION)	\$475.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SEAT TYPE		
AR7	SEATS, FRONT BUCKET WITH VINYL TRIM AND OUTBOARD HEAD RESTRAINTS	\$0.00
SEAT TRIM		
__W	CUSTOM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
___	WHEELS, GRAY-PAINTED,	\$0.00
ADDITIONAL OPTIONS		
DAA	VISORS, DRIVER AND FRONT PASSENGER, VINYL IN LIEU OF STANDARD CLOTH	INC
OPTIONS TOTAL		\$475.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

EXTERIOR

- Paint, solid
- Body, standard
- Bumpers, front and rear painted Black with step-pad (Not available when ordered with (V37) front and rear chrome bumpers.)
- Grille, Black composite with single rectangular halogen headlamps
- Headlamps, halogen
- Daytime Running Lamps
- Mirrors, outside manual, Black
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)
- Glass, swing-out side door windows
- Glass, swing-out rear cargo door windows
- Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash. (Standard on *G23406, *G33406 and *G33706 models with 12- and 15-passenger seating. Not available with 8-passenger seating.)
- Wipers, front intermittent wet-arm with pulse washers
- License plate kit, front
- Door, swing-out passenger-side, 60/40 split

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 10:21:14 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

INTERIOR

- Seats, front bucket with vinyl trim and outboard head restraints (Requires (**W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.)
- Seating, 12-passenger, (2-3-3-4 seating configuration), 4-passenger seat is a 50/50 split, 2-piece configuration (Standard on *G23406, *G33406, and *G33706 models only.)
- Console, engine cover with open storage bin
- Cup holders, 3 on engine console cover
- Power outlets, 2 auxiliary on engine console cover with covers, 12-volt
- Floor covering, full-length Black rubberized-vinyl
- Steering wheel, steel sleeve column with theft-deterrent locking feature, Black
- Convenience Package, Tilt-Wheel and cruise control (Standard on the *G33406 and *G33706 models.)
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure
- Driver Information Center, includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.
- Compass, 8-point digital located in the Driver Information Center (Included and only available with (C69) rear air conditioning.)
- Oil life monitor
- Warning tones, headlamp on and key-in-ignition
- Theft-deterrent system, vehicle, PASS-Key III
- Air conditioning, single-zone manual
- Air conditioning, rear (Requires (TR9) auxiliary lighting. Includes (C36) rear heater, (U80) digital compass and (KG3) 145-amp alternator. Standard on *G33706 models only.)
- Heater, rear auxiliary (Included with (C69) rear air conditioning. Standard on *G33706 models only.)
- Defogger, front and side windows

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

- Audio system, AM/FM stereo with seek-and-scan, digital clock and 2 front door speakers (Not available with (NP5) leather wrapped steering wheel.)
- Headliner, cloth
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side (Included and only available with (TR9) auxiliary lighting. Standard on *G33706 models only.)
- Assist handle, front passenger
- Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches
- Lighting, auxiliary with reading and underhood lights (Required with (C69) rear air conditioning. Includes (DH6) driver and front passenger visor vanity mirrors. Standard on *G33706 models only.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 13, 2007 10:21:14 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

MECHANICAL

- Engine, Vortec 6.0L V8 SFI (323 hp [240.8 kW] @ 4600 rpm, 373 lb-ft of torque [503.6 N-m] @ 4400 rpm) (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Transmission, 4-speed automatic, heavy-duty, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Standard on *G23406, *G33406 or *G33706 models. Includes external engine oil cooler. Reference the Engine/Axle page for availability.)
- Tow/haul mode selector, instrument panel-mounted
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Rear axle, 3.73 ratio
- Rear-wheel drive
- Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 145 amps (Included with (C69) rear air conditioning. Standard on *G33706 models only.)
- Frame, ladder-type
- Suspension, front independent with coil springs and stabilizer bar (Standard and only available on *G***06 models.)
- Suspension, rear hypoid drive axle with multi-leaf springs
- GVWR, 9600 lbs. (4354 kg) (Standard on TG33*06 models. Reference the Engine/Axle page for availability.)
- Tires, front LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tires, rear LT245/75R16E all-season, blackwall (Standard on *G23406, *G33406 and *G33706 models.)
- Tire, spare LT245/75R16E all-season, blackwall, located at rear underbody of vehicle (Standard on *G23406, *G33406 and *G33706 models.)
- Wheels, Gray-painted, includes Gray center caps and steel spare
- Steering, power
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Savana Passenger RWD 3500 155" TG33706

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TG33706 RWD 3500 155"

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch for models with (C6P) 8600 lbs. (3901 kg) GVWR and above. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Air bags, head/side-curtain provides coverage for first 3-rows only. Enhanced-technology glass is provided for the fourth and fifth rows when equipped with 12- and 15-passenger seating. (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information.)
- Child seat anchors, all three passenger rear seats have four anchors and two tethers
- Brake/transmission shift interlock, for automatic transmissions
- StabiliTrak, traction assistance and vehicle stability enhancement system
- Door beams, steel-side
- Daytime Running Lamps

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 13, 2007 10:21:14 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s): Spec # 3905-0040
 MAKE OF TRUCK: Gmc MODEL: Savana T633706GVWR 9600 lbs.
 PAYLOAD: 3199 #? W.B. 155" C.A. N/A C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6 6.0 SAE H.P. 323
 FUEL TANK(S) CAPACITY: 31 (GALS. TOTAL) TRANSMISSION: Hydramatic MT1 4-spd
 SPRING CAP. @ GROUND EACH: FRONT 2150 lbs. REAR 3042 lbs. AUX. N/A lbs.
 AXLES: FRONT 4300 lbs. REAR 6084 lbs. REAR RATIO 3.73
 ALTERNATOR: 145 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT (T245/75R16 PR REAR (T245/75R16 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE XHH
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: : MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(6 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD	DODGE
	<u>C20743</u>	<u>W-30</u>	<u>D13H81</u>
G.V.W.R. (lbs.)	9,200	10,100	9,900
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Gasoline	6.0L	5.4L	5.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	353	300	345
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	1,900	
Rear-lbs. each	3,042	3,500	

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Bumper- Mfg. Std.
- ☒ Brakes-Power.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H., Power* Adjustable, below eye level, 40 sq. in.
- ☒ minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

GMC only: *Power adjustable mirrors not included in Standard MiDEAL spec. Only available as part of a Power Package for an additional charge of \$670.00. (Includes power locks, windows, & mirrors)

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed.
- ☒ Seats-Front Split Bench and rear bench, cloth
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,633.00* (Does not include power mirrors)
Final Point of Assembly: Flint, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification. "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0046

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20743	2008 GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck	\$28,405.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Door locks, power (Standard on Crew Cab Models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry, with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:07:07 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:07:07 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:07:07 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:07:07 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0046
 MAKE OF TRUCK: Gmc MODEL: Sierra TC20743 GVWR 9200 lbs.
 PAYLOAD: 3578 # ✓ W.B. 153" ✓ C.A. 41.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0 ✓ SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Hydramatic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3042 ✓ lbs. AUX. 1 N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6900 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.
 TIRE SIZE: FRONT L7245/75R16E PR REAR L7245/75R16E PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE Q1Z
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR
(6 Foot Box) (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD	DODGE
	<u>C20743</u>	<u>F-350</u> <u>W-30</u>	<u>3500</u> <u>D13H81</u>
G.V.W.R. (lbs.)	9,200	10,100	9,900
Wheelbase (inches)	153	156	160.5
Type & Size of Body	Fleetside/ Wideside	Styleside	Sweptline
Engine: Diesel	6.6L	6.4L	5.7L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	300	345
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	6,900	7,280	
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	1,900	
Rear-lbs. each	3,042	3,500	

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Bumper- Mfg. Std.
- ☒ Brakes-Power.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H., Power Adjustable, below eye level, 40 sq. in.
- ☒ minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed.
- ☒ Seats-Front Split Bench and rear bench, cloth
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (6 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0046D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$25,955.00* (Does not include power mirrors)
Final Point of Assembly: Flint, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the "standard options" as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-00460

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC20743	2008 GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck	\$28,405.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
	<u>Code</u> <u>Description</u>	
EMISSIONS		
	FE9 EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
	LMM ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
	MW7 TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
	G80 DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
	GT4 REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
	1SA WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

CATEGORY

Code	Description	MSRP
TIRES		
QIZ	TIRES, LT245/75R16E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
WHEELS		
QB5	WHEELS, 16" X 6.5" (40.6 CM X 16.5 CM) 8-LUG PAINTED STEEL,	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$8,685.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Requires RPO (E63) wideside pickup box)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire)
- Door locks, power (Standard on Crew Cab Models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry , with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 10:28:59 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Rear wheel drive
- Rear axle, 3.73 ratio
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside
- GVWR, 9200 lbs. (4173 kg)
- Suspension, front independent, torsion bar
- Suspension, rear 2-stage multi-leaf springs, semi-elliptic
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT245/75R16E all-season, blackwall (Not available with (PDL) Z71 Off-Road Package. Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered.)
- Wheels, 16" x 6.5" (40.6 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 4 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 2500HD 2WD Crew Cab 153" Work Truck

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC20743 2WD Crew Cab 153" Work Truck

- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:28:59 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0046 D

MAKE OF TRUCK: GMC MODEL: Sierra TC20743 GVWR 9200 lbs.

PAYLOAD: 2881 # ☒ W.B. 153" ☒ C.A. 41.50" C.E. N/A

ENGINE: (GAS - DIESEL) Diesel ☒ MAKE: Gm Duramax MODEL: Lmm, 6.6 SAE H.P. 365 ☒

FUEL TANK(S) CAPACITY: 26 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-spd

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3042 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 6900 ☒ lbs. REAR RATIO 3.73

ALTERNATOR: 125 ☒ amps. BATTERY Dual 730 ☒ cca.

TIRE SIZE: FRONT LT245/75R16E PR REAR LT245/75R16E PR SINGLE ☒ DUAL ☐ M&S ☐

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE 1212

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS
(8 Foot Box) (Payload-5,000 lbs., min.)

MODEL-2008 CURRENT NEW

	CHEV/ <u>GMC</u> <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD <u>F-350</u>
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,000	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Gasoline	6.6L	5.7L	5.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	330	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- ☒ 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra Dually <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,957.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0047

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK30903	2008 GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work Truck	\$28,535.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
	<u>Code</u> <u>Description</u>	
BODY CODE		
	E63 PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
	FE9 EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
	LY6 ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
	MYD TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
	G80 DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
	GT4 REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
OPTIONS TOTAL		\$1,160.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:34:15 AM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0047

MAKE OF TRUCK: GMC MODEL: Sierra TK30903DollyGVWR 11400 lbs. ✓

PAYLOAD: 5414 # ✓ W.B. 133" ✓ C.A. 55.90" C.E. N/A

ENGINE: (GAS - DIESEL) Gas ✓ MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312 L

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic MYD 6 spd ✓

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. ✓ REAR 4100 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 9200 lbs. ✓ REAR RATIO 3.73

ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.

TIRE SIZE: FRONT T225/75R17E PR REAR T225/75R17E SINGLE DUAL ✓ M&S

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS

(8 Foot Box) (Payload-5,000 lbs., min.)

GMC: Payload: 4,753 lbs

MODEL-2008 CURRENT NEW

	CHEV/ <u>GMC</u> <u>K30903</u>	DODGE DR3500 <u>D13L62</u>	FORD <u>F-350</u>
G.V.W.R. 11,000 (lbs.), minimum	11,400	11,000	11,800
Wheelbase (inches)	133	140.5	137.0
Type & Size of Body	Fleetside	Sweptline	Styleside
Engine: Diesel	6.6L	5.7L	6.4L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	365	330	300
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,200	9,350	9,000
Springs, Min. Cap. at Ground			
Front-lbs. each	2,400	TBD	1,900
Rear-lbs. each	4,100	TBD	4,500
Rear Wheels	Dual	Dual	Dual

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- Delete: On GM vehicles, OnStar and XM radio are deleted.

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level,
- ☒ 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY—STANDARD CAB, DUAL REAR WHEELS</u> (8 Foot Box) (Payload-5,000 lbs., min.) Mich. Spec. #3958-0047D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra Dually <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$27,280.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0047 D

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TK30903	2008 GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work Truck	\$28,535.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

<u>CATEGORY</u>		
<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

CATEGORY		MSRP
Code	Description	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
AIR CONDITIONING		
C67	AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL	\$870.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
OPTIONS TOTAL		\$9,555.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning delete, provides heater only (Requires Regular Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Audio system feature, 4-speaker system (Requires Regular Cab models)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Transfer case, with floor-mounted shifter (Requires 4WD models)
- Rear axle, 3.73 ratio
- Four wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 7

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 4WD Reg Cab 133" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TK30903 4WD Reg Cab 133" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 10:45:30 AM

Page 8



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-00V7 D

MAKE OF TRUCK: GMC MODEL: Sierra TK30403 Dually GVWR 11400 lbs.

PAYLOAD: 4753 # W.B. 133" C.A. 55.90" C.E. N/A

ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 SAE H.P. 365

FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW 6-speed

SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4100 lbs. AUX. N/A lbs.

AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73

ALTERNATOR: 125 amps. BATTERY Dual 730 cca.

TIRE SIZE: FRONT LT 225/75R17E PR REAR LT 225/75R17E SINGLE DUAL M&S ✓

TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD

HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A

BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A

POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.

PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR

(8 Foot Box) (Payload-3,800 lbs., min.)

GMC Payload: 3,771 lbs

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD
	<u>C30943</u>	<u>F-350</u>
G.V.W.R. (lbs.)	9,900	10,200
Wheelbase (inches)	167	172.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Gasoline	6.0L	5.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	353	300
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	2,050
Rear-lbs. each	3,250	3,500
Rear Wheel	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.
- ☒ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by

rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.

- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Bumper- Mfg. Std.
- ☒ Brakes-Power.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in.
- ☒ minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed
- ☒ Seats-Front Split Bench and rear bench, cloth.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (8 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0049	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,465.00*
Final Point of Assembly: Flint, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec# 3958-0049

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30943	2008 GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work Truck	\$29,630.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

CATEGORY		MSRP
Code	Description	
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		-\$35.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Door locks, power (Standard on Crew Cab models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry, with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 12:28:45 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 12:28:45 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holmen Pontiac GMC ITEM NO(s): Spec # 3958-0049
 MAKE OF TRUCK: GMC MODEL: Sierra TC 30943 GVWR 9900 lbs.
 PAYLOAD: 3771 # W.B. 167" C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 353 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic MYD 6-spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3250 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR correct per email 6500 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca. ✓
 TIRE SIZE: FRONT T265/75R16 PR REAR T265/75R16 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE N/A
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR

(8 Foot Box) (Payload-3,800 lbs., min.)

GMC Payload: 3,131 lbs

MODEL-2008 CURRENT NEW

	CHEV/ GMC	FORD
	<u>C30943</u>	<u>F-350</u>
G.V.W.R. (lbs.)	9,900	10,200
Wheelbase (inches)	167	172.0
Type & Size of Body	Fleetside/ Wideside	Styleside
Engine: Diesel	6.6L	6.4L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	365	300
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	6,500	7,280
Springs, Min. Cap. at Ground		
Front-lbs. each	2,400	2,050
Rear-lbs. each	3,250	3,500
Rear Wheel	Single	Single

Cab-Full width rear window

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Bumper- Mfg. Std.
- ☒ Brakes-Power.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Speed Control, Factory Installed.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed
- ☒ Seats-Front Split Bench and rear bench, cloth.
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, CREW CAB, FOUR DOOR</u> (8 Foot Box) (Payload-3,800 lbs., min.) Mich. Spec. #3958-0049D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$26,788.00*
Final Point of Assembly: Flint, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-00490

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30943	2008 GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work Truck	\$29,630.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE	E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE	LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION	MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
AXLE	GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
V10	COVERS, RADIATOR GRILLE AND FRONT BUMPER OPENINGS	\$55.00
K05	ENGINE BLOCK HEATER	INC
VQ1	FLEET PROCESSING OPTION	\$0.00
OPTIONS TOTAL		\$8,415.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear 60/40 folding bench (folds up), 3-passenger, folding (includes child seat top tether anchor) (Requires Crew Cab models)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Door locks, power (Standard on Crew Cab models. Includes (AU0) Remote Keyless Entry unless SEO (5B5) power windows, locks and mirrors is ordered. Included with (PCM) Work Truck Preferred Package.)
- Remote Keyless Entry, with 2 transmitters, panic button and content theft alarm (Included and only available with (AU3) power door locks or (PCM) Work Truck Preferred Package. If SEO (5B5) power windows, locks and mirrors is ordered (AU0) becomes optional on ALL models.)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 14, 2007 1:10:35 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock
- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbxx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Crew Cab 167" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30943 2WD Crew Cab 167" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 14, 2007 1:10:35 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0049 D
 MAKE OF TRUCK: Gmc MODEL: Sierra TC30943 GVWR 9900 lbs.
 PAYLOAD: 3131 # W.B. 167" C.A. 55.50" C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm Duramax MODEL: LMM, 6.6 SAE H.P. 365
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW 7 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3250 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6500 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY Dual 730 cca.
 TIRE SIZE: FRONT T265/75R16 PR REAR T265/75R16 PR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QGR
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 <u>D13L42</u>	FORD <u>F-350</u>	CHEV/ <u>GMC</u> <u>C30953</u>
G.V.W.R. (lbs.)	11,000	12,000	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Gasoline	5.7L	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	300	312
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed
- ☒ Seats-Front split bench and rear bench, cloth
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u> <u>DUAL REAR WHEEL</u> 4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.) Mich. Spec. #3958-0050	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra Dually <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$20,580.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec# 3958-0050

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work Truck	\$28,900.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
OPTIONS TOTAL		\$290.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 2:54:41 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work **STANDARD EQUIPMENT**

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 2:54:41 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 2:54:41 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s). Spec # 3958-0050
 MAKE OF TRUCK: Gmc MODEL: Sierra TC30953 GVWR 11,400 lbs.
 PAYLOAD: 5268 # W.B. 157.50 "C.A. 55.50 "C.E. N/A
 ENGINE: (GAS - DIESEL) Gas MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 312
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydromatic M40 6-spd
 SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 4100 lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 9200 lbs. REAR RATIO 3.73
 ALTERNATOR: 125 amps. BATTERY 600 cca.
 TIRE SIZE: FRONT T225/55R17E PR REAR T225/55R17E PR SINGLE DUAL M&S
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
DUAL REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.)

MODEL-2008 CURRENT NEW

	DODGE DR3500 <u>D13L42</u>	FORD <u>F-350</u>	CHEV/ <u>GMC</u> <u>C30953</u>
G.V.W.R. (lbs.)	11,000	12,000	11,400
Wheelbase (inches)	160.5	158.0	157.5
Type & Size of Body	Sweptline	Styleside	Fleetside
Engine: Diesel	5.7L	6.4L	6.6L
Type & No. of Cylinders	V-8	V-8	V-8
Net H.P.-S.A.E.	330	300	365
Transmission: Automatic			
Axle, Min. Cap. Rear-lbs.	9,350	9,000	9,200
Springs, Min. Cap. at Ground			
Front-lbs. each	TBD	2,050	2,400
Rear-lbs. each	TBD	4,500	4,100
Cab-Full width rear window			
Rear Wheels:	Dual	Dual	Dual

Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Locks – Power Doors, Factory Installed
- ☒ Seats-Front split bench and rear bench, cloth
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u> <u>DUAL REAR WHEEL</u> 4 X 2, (8 Foot Box), (Payload-3,970 lbs., min.) Mich. Spec. #3958-0050D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$26,903.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0050 D

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work Truck	\$28,900.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

<u>CATEGORY</u>		
<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION		
MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
DIFFERENTIAL		
G80	DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR	\$325.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
TIRES		
QBD	TIRES, LT225/75R17E ALL-SEASON, BLACKWALL	\$0.00
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C7W	GVWR, 11,400 LBS. (5171 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
K05	ENGINE BLOCK HEATER	INC
OPTIONS TOTAL		\$8,685.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclbx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, Smoked Amber roof marker (Standard on (C7W) 11,400 lbs. (5171 kg) GVWR only. Not available with (YF5) California state emissions requirements.)
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 3

Prepared By:

Albert Li

Red Holman Pontiac GMC

35300 Ford Rd

Westland, MI 48185

Phone: (734) 721-1144

Fax: (734) 721-1780

Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:28:38 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 11,400 lbs. (5171 kg) with dual rear wheels (Not available with TC30903 models)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailering, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT225/75R17E all-season, blackwall (Not available with TC30903 models. Requires (C7W) 11,400 lbs. GVWR Includes 7 tires with (E63) Wideside pickup box. Includes 6 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" DRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" DRW Work Truck

- Wheels, 6 - 17" x 6.5" (43.2 cm x 16.5 cm) 8-lug painted steel, includes painted center caps and steel spare (spare wheel will not cosmetically match the other 6 wheels) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Requires and only available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel))
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:28:38 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac Gmc ITEM NO(s): Spec # 3958-00500
 MAKE OF TRUCK: Gmc MODEL: Sierra TC30953 GVWR 11,400 lbs.
 PAYLOAD: 4621 # ✓ W.B. 157.5" ✓ C.A. 55.50 C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: Gm-Duramax MODEL: LMM, 6.6 SAE H.P. 365 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW 6 spd ✓
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 4100 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 ✓ lbs. REAR 9200 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.
 TIRE SIZE: FRONT LT25/5R17E PR REAR LT25/5R17E PR SINGLE _____ DUAL ✓ M&S _____
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QBD
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
SINGLE REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)

MODEL-2008 CURRENT NEW

	FORD	CHEV/ GMC
	<u>F-350</u>	<u>C30953</u>
G.V.W.R. (lbs.)	10,100	9,900
Wheelbase (inches)	158	157.5
Type & Size of Body	Styleside	Fleetside
Engine: Gasoline	5.4L	6.0L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	300	353
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	7,280	6,500
Springs, Min. Cap. at Ground		
Front-lbs. each	1,975	2,400
Rear-lbs. each	3,500	3,250
Cab-Full width rear window		
Rear Wheels:	Single	Single
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Seats-Front split bench and rear bench, cloth
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u> <u>SINGLE REAR WHEEL</u> 4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.) Mich. Spec. #3958-0051	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$19,808.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958 - 0051

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work Truck	\$28,290.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE		
E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LY6	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI	\$0.00
TRANSMISSION		
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED	\$0.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP		
1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

CATEGORY		MSRP
Code	Description	
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
OPTIONS TOTAL		-\$35.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
 Customer File:

December 18, 2007 3:43:25 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:43:25 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclixx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, AccidentAssist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:43:25 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclio@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TK30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:43:25 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:43:25 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s): Spec # 3958-0051 ✓MAKE OF TRUCK: GMC MODEL: Sierra TC30953 GVWR 9900 lbs. ✓PAYLOAD: 3921 # ✓ W.B. 157.5" ✓ C.A. 55.50" C.E. N/A ✓ENGINE: (GAS - DIESEL) GAS MAKE: Gm MODEL: LY6, 6.0 SAE H.P. 353 ✓FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Hydraulic MVD 6-spd ✓SPRING CAP. @ GROUND EACH: FRONT 2400 lbs. REAR 3250 lbs. AUX. N/A lbs. ✓AXLES: FRONT 4800 lbs. REAR 6500 ✓ lbs. REAR RATIO 3.73ALTERNATOR: 125 ✓ amps. BATTERY 600 ✓ cca.TIRE SIZE: FRONT LT265/75R16E PR REAR LT265/75R16E PR SINGLE ✓ DUAL M&STIRE: MAKE TBD STYLE NO. TBD MFG. CODE QERHOIST: MAKE N/A MODEL N/A INSTALLING CO. N/ABODY: MAKE N/A MODEL N/A INSTALLING CO. N/APOWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.

Mich. Spec. # 3958-0051D
August 2007

TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR
SINGLE REAR WHEEL

4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.)

GMC Payload: 3,274 lbs

MODEL-2008 CURRENT NEW

	FORD	CHEV/ GMC
	<u>F-350</u>	<u>C30953</u>
G.V.W.R. (lbs.)	10,100	9,900
Wheelbase (inches)	158	157.5
Type & Size of Body	Styleside	Fleetside
Engine: Diesel	6.4L	6.6L
Type & No. of Cylinders	V-8	V-8
Net H.P.-S.A.E.	300	365
Transmission: Automatic		
Axle, Min. Cap. Rear-lbs.	7,280	6,500
Springs, Min. Cap. at Ground		
Front-lbs. each	1,975	2,400
Rear-lbs. each	3,500	3,250
Cab-Full width rear window		
Rear Wheels:	Single	Single
Tires, Truck, Tubeless, Radial, to meet G.V.W.R. All Season or mud and snow on rear.		

TO BE STANDARD FACTORY EQUIPPED AS FOLLOWS:

The items listed below are to be supplied on all trucks, even though they may be optional with the manufacturer. Therefore, these specifications are to be furnished on all vehicles:

- ☒ 12 Volt auxiliary outlet
- ☒ Air Conditioning - All trucks
- ☒ Anti-freeze protection, to -30°F.
- ☒ Arm Rest-Driver's side.
- ☒ Color-Manufacturers Standard to be selected.
- ☒ Coolant System-Maximum Size Available, including the Heaviest Duty Radiator
- ☒ Dome Light.

- ☑ Electric wiring-All wiring passing through holes in metal or non-metal wearing surfaces, which could cause wear of the insulation, shall be adequately protected by rubber or plastic grommets, and/or non-metallic conduit. Ends of all wires shall be adequately anchored to prevent loosening.
- ☑ Frame length-on all body installations without hoists the cab to end of frame length shall be the same length as the body being mounted, plus the length of any setback.
- ☑ Fuel Tanks, Diesel, with sending unit and magnetic drain plug, on all trucks over 21,000 G.V.W.R., painted Black and labeled "Diesel Fuel Only".
- ☑ Hub caps on all pickups and vans up to and including 10,000 G.V.W.R. If not available from dealer cap nuts shall be furnished.
- ☑ Keys-(2) sets with code numbers; shall be with vehicle at time of delivery.
- ☑ Mirrors-All trucks are to be equipped with R.H. and L.H. outside rear-view mirrors to comply with Michigan laws; all trucks up to and including 15,000 G.V.W.R. shall be equipped with inside rear-view mirror. In all cases, outside R.H. & L.H. rear view mirrors shall provide full vision past all body installations. Mirrors shall be of stainless steel or high impact plastic construction unless denoted otherwise in individual truck specifications. All West Coast Type or Below Eye Level Camper Style Mirrors shall have stainless steel or high impact plastic heads, brackets, and hardware.
- ☑ Mud flaps, Anti-Sail Type, when required, are to be plain, rubber 1/4" thick, without advertising on either side.
- ☑ Painting-preclean and metal prep, any bare metal surfaces prior to applying a compatible red oxide or zinc chromate primer. When painting over a manufacturer's standard paint, metal prepping and primer may be omitted, provided an acceptable bond can be achieved.
- ☑ Equipment mounting- when mounting equipment on truck cab and chassis, all holes shall be drilled or punched. There shall be no flame cutting or welding on the frame side rails.
- ☑ Paint codes-factory paint codes shall be furnished with all vehicles; for all after market painting both the brand and paint code shall be furnished.
- ☑ Pre-delivery inspection and servicing.
- ☑ Radio - AM/FM Manufacturers Standard, Factory Installed
- ☑ Seat Belts with Shoulder Harness (3-Point Restraint System for Driver & Passenger)
- ☑ Seats-Split Bench type, unless otherwise specified
- ☑ Shock absorbers-(Heaviest Duty Available), front all trucks. Rear, up to and including 15,000 G.V.W.R.
- ☑ Spare tire, or Rim, not to be furnished unless specified. If specified, tires to be of same mfg., tread design to be same as front tires.
- ☑ Speed Control, Factory Installed
- ☑ Steering-Power, Tilt Wheel
- ☑ Sun visors-dual.
- ☑ Jack-Furnish on trucks up to and including 12,000 G.V.W.R.
- ☑ Windshield wipers-dual, intermittent speed electric, with automatic type washers.

All items removed for installation of optional equipment shall be returned to the State of Michigan.

TO BE EQUIPPED IN COMPLIANCE WITH ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND REGULATIONS. ALL VEHICLES MUST BE EQUIPPED TO COMPLY WITH ALL REQUIREMENTS OF THE MICHIGAN MOTOR VEHICLE CODE.

- **Delete: On GM vehicles, OnStar and XM radio are deleted.**

ADDITIONAL OPTIONS:

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this vehicle.

- ☒ Alternator-80 amp., min.
- ☒ Axle, rear-limited slip.
- ☒ Battery-12 Volt, 600 CCA, minimum.
- ☒ Brakes-Power.
- ☒ Bumper- Mfg. Std.
- ☒ Fuel capacity-largest available from mfg.
- ☒ Mirrors-Rear View, Inside. Outside R.H. and L.H. below eye level, 40 sq. in. minimum, swing away type. Installed.
- ☒ Spare tire and wheel. Mfg. Std. mounting.
- ☒ Steering-Power.
- ☒ Wrench-wheel.

ADDITIONAL MDOT OPTIONS: (Note: These options are not included in the MiDEAL price)

These options are in addition to the options listed above as “STANDARD FACTORY EQUIPPED” and are to be included on this MDOT vehicle.

- ☒ Keys-(1) additional set (total of 3 sets) with code numbers; shall be with vehicle at time of delivery.
- ☒ Bumper-Rear, step down type, Heaviest Avail. Towing Capacity, Mfg. Std.
- ☒ Seats-Front split bench and rear bench, cloth
- ☒ Trailer Hitch, Class III receiver type
- ☒ Towing Package, Heaviest Duty Available from Manufacturer

PRICING SHEET

<u>TRUCK: PICK-UP BODY, EXTENDED CAB, FOUR DOOR</u> <u>SINGLE REAR WHEEL</u> 4 X 2, (8 Foot Box), (Payload-3,800 lbs., min.) Mich. Spec. #3958-0051D	
Standard Equipped Per above Specification (Including options as specified above)	Standard Equipped Cost
Make: GMC Model: Sierra <i>F.O.B. - Dealership</i> Delivery Cost Per Mile \$1.00	\$26,130.00*
Final Point of Assembly: Pontiac, MI	
<u>Dealer Information</u>	
Dealer Name: Red Holman Pontiac GMC	
Street Address: 35300 Ford Road	
City: Westland	State: MI Zip: 48185
Contact Name: Albert Li	
Telephone: (800) 482-3032	
Cell: (734) 637-6643	
E-mail: aclixx@hotmail.com	

*Please Note: A vehicle order confirmation sheet is included for each vehicle. These documents shall include all the “standard options” as listed for the State of Michigan standard specification.

Vehicle Order Confirmation Sheet
Spec # 3958-0051 D

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclb@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
TC30953	2008 GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work Truck	\$28,290.00

SELECTED VEHICLE COLORS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>Code</u>	<u>Description</u>
88V	Interior: Dark Titanium
50U	Exterior 1: Summit White
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>CATEGORY</u>	<u>Code</u>	<u>Description</u>	<u>MSRP</u>
BODY CODE	E63	PICKUP BOX, WIDESIDE	\$0.00
EMISSIONS	FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE	LMM	ENGINE, DURAMAX 6.6L TURBO DIESEL V8,	\$7,195.00
TRANSMISSION	MW7	TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$1,200.00
AXLE	GT4	REAR AXLE, 3.73 RATIO	\$0.00
PREFERRED EQUIPMENT GROUP	1SA	WORK TRUCK PREFERRED EQUIPMENT GROUP	\$0.00
SEAT TYPE			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 1

Prepared By:
 Albert Li
 Red Holman Pontiac GMC
 35300 Ford Rd
 Westland, MI 48185
 Phone: (734) 721-1144
 Fax: (734) 721-1780
 Email: aclibx@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

<u>CATEGORY</u>		<u>MSRP</u>
<u>Code</u>	<u>Description</u>	
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINING	\$0.00
SEAT TRIM		
_V	SEAT TRIM, DARK TITANIUM VINYL	\$0.00
PAINT		
ZY1	PAINT, SOLID	\$0.00
GVWR		
C4M	GVWR, 9900 LBS. (4490 KG)	\$0.00
RADIO		
UM7	AUDIO SYSTEM, AM/FM STEREO	\$0.00
ADDITIONAL OPTIONS		
TUV	BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE	INC
UE0	ONSTAR, DELETE	-\$85.00
U2J	XM SATELLITE RADIO, DELETE	-\$200.00
K34	CRUISE CONTROL, ELECTRONIC	\$250.00
K05	ENGINE BLOCK HEATER	INC
OPTIONS TOTAL		<u>\$8,360.00</u>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 2

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

EXTERIOR

- Paint, solid
- Bumper, front chrome (Includes Black bumper top caps)
- Bumper, rear chrome, step-style with pad (Not available with (ZW9) pickup box delete)
- Air dam, Black
- Grille, chrome surround
- Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature
- Lamps, dual cargo area lamps
- Daytime Running Lamps, with automatic exterior lamp control
- Mirrors, outside manual, Black, manual-folding
- Glass, Solar-Ray light-tinted, all windows
- Wipers, front intermittent wet-arm with pulse washers
- Tailgate protection, top of tailgate protection cap

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 3

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: acli@hotmai.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

INTERIOR

- Seat trim, Dark Titanium vinyl (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering)
- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual reclining with outboard head restraints and center fold-down armrest with storage
- Seat, rear bench (folds up), full width, folding, 3-passenger (includes child seat top tether anchor) (Standard with Extended Cab models only)
- Floor covering, Black rubberized vinyl
- Steering wheel, includes theft-deterrent locking feature
- Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock
- Instrumentation, analog with speedometer, fuel level, engine temperature, tachometer, voltmeter and oil pressure indicators
- Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Driver Information Center controls are operated through the trip button unless (UK3) steering wheel mounted audio controls is ordered)
- Warning tones, headlamp on, key-in-ignition, driver and passenger buckle up reminder and turn signal on
- Tire Pressure Monitoring System (does not apply to spare tire) (Not standard on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Windows, fixed, rear access door (Standard with Extended Cab models only)
- OnStar, 1-year of Safe and Sound plan. Includes Automatic Notification of Air Bag Deployment, Stolen Vehicle Location Assistance, Emergency Services, Roadside Assistance, Remote Door Unlock (requires power locks), OnStar Vehicle Diagnostics, Hands-Free Calling, Accident Assist and Remote Horn and Lights (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. If the order type is FDR, (UE0) OnStar delete will be forced on. Visit onstar.com for system limitations and details. Not available with a ship-to of Puerto Rico or the Virgin Islands. Remote Door Unlock requires (AU3) power door locks.)
- Air conditioning, single-zone manual front climate control (Standard on Extended and Crew Cab models)
- Audio system, AM/FM stereo with MP3 compatible CD player, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 4

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- XM Satellite Radio. With a wide variety of programming, XM has something to excite any driver. Whether you want to be entertained or informed, to laugh, think, or sing, XM has the perfect channel for you - coast-to-coast, and in digital-quality sound. 3 trial months - no obligation (Available in the 48 contiguous United States. Required \$12.95 monthly subscription sold separately after 3 trial months. All fees and programming subject to change. Subscription subject to customer agreement. For more information, visit gm.xmradio.com. Not available with (UE0) OnStar, delete.)
- Audio system feature, speaker system (Requires Extended or Crew Cab Models. Includes 6 speakers)
- Cup holders, front (Also includes rear cupholders on Extended and Crew Cab models)
- Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt
- Mirror, inside rearview manual day/night
- Headliner, Opal Gray-colored cloth with matching retainer moldings
- Visors, driver and front passenger, sliding, with clip and passenger side vanity mirror with cover, Opal Gray-colored
- Assist handle, front passenger (Also includes rear assist handles in the headliner on Extended and Crew Cab models)
- Lighting, interior with dome and reading lights, illuminated entry feature and backlit instrument panel switches
- Coat hooks, rear driver and passenger side

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 5

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI (353 hp [262.8 kW] @ 5400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm) on (GED) 9700 lbs. (4400 kg) GVWR and (C4M) 9900 (4490 kg) GVWR - (312 hp [232.3 kW] @ 4400 rpm, 373 lb-ft of torque [505.6 N-m] @ 4400 rpm on (C7W) 11,400 lbs. (5171 kg) GVWR)
- Air cleaner, high-capacity
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires (LY6) Vortec 6.0L V8 SFI engine)
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Differential, heavy-duty automatic locking rear (Included with (PDL) Off-Road Package. Standard on TC30903 models. Standard with (GED) 9700 lb. GVWR (single rear wheel) and (C4M) 9900 lb. GVWR (single rear wheel))
- Rear axle, 3.73 ratio
- Rear wheel drive
- Cooling, external engine oil cooler, heavy-duty air-to-oil, integral to driver side of radiator tank
- Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power
- Alternator, 125 amps
- Frame, hydroformed
- Recovery hooks, front, frame-mounted
- Pickup box, Wideside (Not available with TC30903 models)
- GVWR, 9900 lbs. (4490 kg) with single rear wheels (Not available with TC30903 models. On TC30903 models and (LY6) Vortec 6.0L V8 SFI engine, requires (QER) LT265/75R16E on-/off-road, blackwall tires)
- Suspension, front independent, torsion bar
- Suspension, rear 3-stage springs
- Suspension Package, Handling/Trailer, heavy-duty, includes 46 mm piston monotube shocks and 34mm front stabilizer bar
- Tires, LT265/75R16E on-/off-road, blackwall (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel). Includes 5 tires with (E63) Wideside pickup box. Includes 4 tires with (ZW9) pickup box delete.)
- Tire carrier, outside spare, winch-type mounted under frame at rear (Orders with (ZW9) Pickup box delete will not include a Spare Tire Carrier unless a spare tire is ordered)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.
Customer File:

December 18, 2007 3:51:44 PM

Page 6

Prepared By:
Albert Li
Red Holman Pontiac GMC
35300 Ford Rd
Westland, MI 48185
Phone: (734) 721-1144
Fax: (734) 721-1780
Email: aclix@hotmail.com

2008 Fleet/Non-Retail GMC Sierra 3500HD 2WD Ext Cab 157.5" SRW Work
STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2008 Fleet/Non-Retail TC30953 2WD Ext Cab 157.5" SRW Work Truck

- Wheels, 4 - 16" x 7.0" (40.6 cm x 17.8 cm) 8-lug steel (single rear wheel) Spare not included with (ZW9) pickup box delete unless a spare tire is ordered (Center cap is Argent. Not available with (C7W) 11,400 lbs GVWR (dual rear wheels).)
- Wheel, 16" (40.6 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Not available with (C7W) 11,400 lbs. (5171 kg) GVWR (dual rear wheel)
- Steering, power, recirculating ball
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, aluminized stainless-steel muffler and tailpipe

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right-front passenger (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat. See the vehicle's Owners Manual and child safety seat instructions for more safety information)
- Daytime Running Lamps, with automatic exterior lamp control

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 133.0, Data updated 12/11/2007 11:05:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

December 18, 2007 3:51:44 PM

Page 7



APPENDIX B

TRUCK QUESTIONNAIRE FORMS

ALL BIDDERS MUST COMPLETE AND RETURN A QUESTIONNAIRE FORM WITH THE BID FOR EACH TRUCK ITEM TO BE CONSIDERED FOR AWARD OF THAT ITEM. Bids submitted without an adequately completed questionnaire form for EACH TRUCK ITEM will not be considered for award of that item. It is the responsibility of each bidder to copy this form in sufficient quantity to submit to Purchasing Operations prior to the scheduled bid due date. A single form may apply to more than one item, simply list the item numbers to which the questionnaire applies in the appropriate space. If part of the questionnaire does not apply, simply indicate "not applicable" in those spaces.

NAME OF BIDDER: Red Holman Pontiac GMC ITEM NO(s). Spec # 3958-0051 D
 MAKE OF TRUCK: GMC MODEL: Siera TC30953 GVWR 9900 lbs.
 PAYLOAD: 3274 # W.B. 157.5" ✓ C.A. 55.5" ✓ C.E. N/A
 ENGINE: (GAS - DIESEL) Diesel MAKE: GM Duramax MODEL: LMM, 6.6 ✓ SAE H.P. 365 ✓
 FUEL TANK(S) CAPACITY: 34 (GALS. TOTAL) TRANSMISSION: Allison 1000 MW7 6-pd
 SPRING CAP. @ GROUND EACH: FRONT 2400 ✓ lbs. REAR 3250 ✓ lbs. AUX. N/A lbs.
 AXLES: FRONT 4800 lbs. REAR 6500 ✓ lbs. REAR RATIO 3.73
 ALTERNATOR: 125 ✓ amps. BATTERY Dual 730 ✓ cca.
 TIRE SIZE: FRONT (T265/75R16EPR REAR (T265/75R16EPR SINGLE ✓ DUAL ✓ M&S ✓
 TIRE: MAKE TBD STYLE NO. TBD MFG. CODE QER
 HOIST: MAKE N/A MODEL N/A INSTALLING CO. N/A
 BODY: MAKE N/A MODEL N/A INSTALLING CO. N/A
 POWER LIFT GATE: MAKE N/A MODEL N/A CAPACITY N/A lbs.
 PLATFORM SIZE: N/A

OTHER EQUIPMENT INSTALLED BY BODY EQUIPMENT SUPPLIER AND/OR COMMENTS

This information must be returned with the bid document to Purchasing Operations, on or before the bid due date and time. However, if returned separately, it must be received by Purchasing Operations on or before the bid due date and time, and must comply with the sealed bid instructions as outlined in the ITB.